

Appendix 3 - Noise Impact Assessment Summary Form



Licensee: _____

Facility name: _____ Type: _____

Legal location: _____

Contact: _____ Telephone: _____

1. Permissible Sound Level(PSL Determination (*Rule 012, section 2*))

(Note that the PSL for a pre-1988 facility undergoing modifications may be the sound pressure level (SPL) that currently exists at the dwelling if no complaint exists and the current SPL exceeds the calculated PSL from section 2.1.)

Complete the following for the nearest or most impacted dwelling(s):

Distance from facility	Direction from facility	BSL (dBA)	Daytime adjustment (dBA)	Class A adjustment (dBA)	Class B adjustment (dBA)	Nighttime PSL (dBA)	Daytime PSL (dBA)

2. Sound Source Identification

For the new and existing equipment, identify major sources of noise from the facility, their associated sound power level (PWL) or sound pressure level (SPL), the distance (far or free field) at which it was calculated or measured, and whether the sound data are from vendors, field measurement, theoretical estimates, etc.

New Equipment	Predicted	or	Measured	Data source	Distance calculated or measured (m)
	<input type="checkbox"/> PWL (dBA) <input type="checkbox"/> SPL (dBA)		<input type="checkbox"/> PWL (dBA) <input type="checkbox"/> SPL (dBA)		

Existing Equipment/Facility	Predicted	or	Measured	Data source	Distance calculated or measured (m)
	<input type="checkbox"/> PWL (dBA) <input type="checkbox"/> SPL (dBA)		<input type="checkbox"/> PWL (dBA) <input type="checkbox"/> SPL (dBA)		

3. Operating Conditions

When using manufacturer's data for expected performance, it may be necessary to modify the data to account for actual operating conditions (for example, indicate conditions such as operating with window/doors open or closed). Describe any considerations and assumptions used in conducting estimates:

4. Modeling Parameters

If modeling was conducted, identify the parameters used (see section 3.5 (1)):

(continued)

5. Predicted Sound Level/Compliance Determination

Identify the predicted overall (cumulative) sound level at the nearest or most impacted dwelling. Typically, only the nighttime sound level is necessary, as levels do not often change from daytime to nighttime. However, if there are differences between day and night operations, both levels must be calculated.

Predicted sound level to the nearest or most impacted dwelling from new facility (ASL + new facility + existing energy-related facilities):

_____ dBA (night) Permissible sound level: _____ dBA (night)

If applicable: _____ dBA (day) Permissible sound level: _____ dBA (day)

Is the predicted sound level less than the permissible sound level? Yes _____ No _____

If **YES**, go to number 7.

6. Compliance Determination/Attenuation Measures

(a) If 5 is **NO**, identify the noise attenuation measures the licensee is committing to:

Predicted sound level to the nearest or most impacted dwelling from the facility (ASL + new facility **with** noise attenuation measures + existing energy-related facilities):

_____ dBA (night); if applicable: _____ dBA (day)

Is the predicted sound level less than the permissible sound level? Yes _____ No _____

If **YES**, go to number 7.

(b) If 6 (a) is **NO** or the licensee is not committing to any noise attenuation measures, the facility is not in compliance. If further attenuation measures are not practical, provide the reasons why the measures proposed to reduce the impacts are not practical.

7. Explain what measures have been taken to address construction noise.

8. Acoustical Practioner's Information (See section 3.8 (9)):

Company: _____

Title: _____

Telephone: _____ Date: _____