

Bulletin 2013-14

April 29, 2013

Change to Rule 019: Specified penalties for contravention of ISO rules

1. The Alberta Utilities Commission (AUC or the Commission) has recently been made aware that a correction is required to AUC Rule 019: *Specified Penalties for Contravention of ISO Rules* (AUC Rule 019).
2. On December 6, 2011, the Commission approved amendments to AUC Rule 019 in response to a request from the Alberta Electric System Operator (AESO). The AESO requested that ISO rules Section 502.4: *Automated Dispatch and Messaging System and Voice Communication System Requirements* (Rule 502.4) be added as a Category 1 specified penalty in AUC Rule 019. Rule 502.4 was added to Category 1 effective January 1, 2012.
3. On December 21, 2012, the Commission approved amendments to AUC Rule 019 in response to a request from the Market Surveillance Administrator (MSA). The MSA requested that ISO rule 6.2.2 be replaced with Rule 502.4 as a Category 2 specified penalty in AUC Rule 019. Rule 502.4 was added to Category 2 effective January 8, 2013.
4. The Commission intended that Rule 502.4 remain a Category 1 specified penalty effective January 8, 2013, and accordingly, has removed Rule 502.4 from Category 2 of the penalty table as of January 8, 2013.
5. If you have any questions regarding this change, please contact AUC Director of Markets Darin Lowther at 403-592-4507 or darin.lowther@auc.ab.ca.

(Original signed by)

Robert D. Heggie
Chief Executive